In the Specification:

Please make the following changes in the following specification paragraphs:

Page 2, line 2 to 4:

The present invention relates to a method for transmitting ~~a position of a~~ traffic information, in particular a position of a traffic obstruction on a traffic way, ~~on a traffic way~~ in digital coded messages.

Page 9, line 12 to line 16:

In the embodiment shown in Figure 1, the position of the point X, the beginning of the obstruction, is obtained by transmitting a percentage P, which is equal to the section portion D divided by ~~is transmitted by the percent section portion D referred to~~ the distance between the coded location L1 and the coded location L2 times 100. Since A is either stored in the location data bank of the receiver or can be taken from a digital map, D can be calculated from the transmitted value P ~~P~~.

Page 9, line 17, to page 10, line 2:

At the transmitter side, the variable to be transmitted is calculated from the known values D and A as P = ~~D.100/A~~ (D/A)x100. When for example, the distance between L1 and L2 amounts to 20 km and the obstruction cause is located 6 km from ~~for~~ the primary location L1, the ~~a~~ parameter P to be transmitted amounts to 30 % ~~P = 30%~~.

4

Page 11, line 8 to line 16:

Figure 3 shows the same section as figure 2 with the locations L1, L2 and L3, as well as the obstruction S between the points X and Y. Moreover, further locations O1-O7 ~~01-07~~ are shown. From which ~~they~~ at least the locations O1 and O3 ~~01 and 03~~ are not <u>entered or coded</u> ~~picked~~ in the location data banks utilized for coding and decoding. With the inventive transmission of the position of the jam beginning X and the jam end Y the driver can be guided via the locations O1, O2 and O3 ~~01, 02 and 03~~, or in other words via shorter detour sections than <u>via</u> <u>the coded locations O4, O5, O6 and O7</u> without the use of the inventive method. ~~He must be guided via 04, 05, 06 and 07.~~

5

In the Title:

Please make the following changes in the title:

METHOD FOR TRANSMITTING ~~A POSITION OF A~~ TRAFFIC <u>INFORMATION</u> <u>ABOUT</u> ~~INFORMATION, IN PARTICULAR A~~ TRAFFIC OBSTRUCTION

7